



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/815,014	03/31/2004	Derek J. Shaw	06275-283US2

26161
FISH & RICHARDSON PC
225 FRANKLIN ST
BOSTON, MA 02110

CONFIRMATION NO. 9211

FORMALITIES LETTER



OC000000012929418

Date Mailed: 06/14/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - More than one figure is present and each figure is not labeled "Fig." with a consecutive Arabic numeral (1, 2, etc.) or an Arabic numeral and capital letter in the English alphabet (A, B, etc.)(see 37 CFR 1.84(u)(1)). See Figure(s) 15 and 15a as described in the specification. However, two actual figures, labeled as figure 15A, 15B, were submitted upon filing.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

B. To

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



ifw

Attorney's Docket No.: 06275-283US2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Derek Shaw et al. Art Unit : 3763
Serial No. : 10/815,014 Examiner : Unknown
Filed : March 31, 2004
Title : AUTOMATICALLY OPERABLE SAFETY SHIELD SYSTEM FOR SYRINGES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Responsive to the Notice to File Corrected Application Papers mailed June 14, 2004 (a copy of which is enclosed), applicant as a large entity submits herewith the following:

☒ Substitute drawings (25 sheets) in compliance with 37 CFR 1.84.

It is understood that this perfects the application and no additional papers or filing fees are required.

Respectfully submitted,

Date: Aug 12, 2004

William E. Booth
William E. Booth
Reg. No. 28,933

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

20919679.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

August 12, 2004
Date of Deposit
Bethany Slack
Signature

Bethany Slack
Typed or Printed Name of Person Signing Certificate